



त्रिवेणी गाउँपालिका  
गाउँ कार्यपालिकाको कार्यालय

① { ९८५७८४४६००  
९८५७८४४६०३

लुहाम, सल्यान

Web:trivenimunsalyan.gov.np  
Email:ito.trivenimunsalyan@gmail.com

पत्र संख्या: २०८१/०८२



चलानी नम्बर: —

त्रिवेणी गाउँपालिका  
कार्यपालिकाको कार्यालय  
लुहाम सल्यान  
कर्णाली प्रदेश

कर्णाली प्रदेश, नेपाल

सूचना । सूचना ।। सूचना ।।।

विषय: दररेट पेश गर्नुहुन ।

प्रकाशित मिति: २०८१/०९/०८ गते

प्रस्तुत विषयमा यस गाउँपालिका कृषि विकास शाखालाई आवश्यक पर्ने कृषिमा प्रयोग हुने संलग्न विवरण वमोजिम कृषि मेशिनरी औजारहरुको दररेट पेश गर्न इच्छुक कम्पनी/ सप्लायर्सहरुले यो सूचना प्रकाशन भएको मितिले ७ दिन भित्र यस पालिकामा दररेट पेश गर्नुहुन सम्बन्धीत सबैमा सुचित गरिन्छ ।

२०८१/०९/०८  
खुम बहादुर के.सी.  
प्रमुख प्रशासकीय अधिकृत

जलनी जन्मभूमिश्च स्वर्गादपि गरीयसी





त्रिभेणी गाउँपालिका  
गाउँ कार्यपालिकाको कार्यालय, लुहराम सल्यान  
कोटेशन फारम (Quotation Form)



प्रमुख प्रशासकीय अधिकृत  
म बहादुर के.सी.

S.N	Required Technical Specification		Bidder's Specification	Rate in Figure	Rate in word	Remarks
	Mini-Tiller (Mini-Tiller)				(Including VAT for applicable items)	
A	General Application	Mini-Tiller should be capable of tilling in dry as well as wet soil for agriculture operation.	Make: Model: Gross wt.: Country of origin:			
1.	Engine type	Single-cylinder, vertical, air-cooling, 4-stroke, direct injection				
2.	Overall Dimension(LxWxH)mm	1095x565x880				
3.	Max Tilling Scope(mm)	1100				
4.	Tilling Depth	100-350				
5.	Gear Shifting	0,1,2,-1				
6.	Main running-in method	Machine grind-in				
7.	Gear Distance(mm)	500				
8.	Productivity(mu/ha)	0.8-1.5				
9.	Bore X stroke	78 X62				
10.	Displacement (L)	0.296				
11.	Rated Power(Max) Kw(Hp)/rpm	5.5(7.5hp)/3600				
12.	Starting System	Recoil start/ Electric start				
13.	Fuel tank capacity (L)	3.5				
14.	Fuel number	Num.-0(summer) Num.-10(winter)				
15.	Lube capacity (L)	1.1				
16.	Suitable lube	SAE10W, above CC grade				
17.	Lube Model	Pressure splash mode				



विशेषी मापनसिद्ध  
 कृषि विभाग  
 कृषि विभागको कार्यालय  
 काठमाडौं, नेपाल  
 कृषि विभागको कार्यालय  
 काठमाडौं, नेपाल

धनुष  
 धनुष बहादुर क.सी.  
 प्रमुख प्रशासकीय अधिकृत

18.	Net Weight (Kg)	≤33					
19.	Engine Dimension(LxWxH)mm	383x421x450					
20.	Engine Model	178F					
21.	Tilling device mode	4 Group					
22.	Tilling Blade	(4x8)					
<b>2 कम्बाईन मिल (Combine Mill)</b>							
A General Application		The mill should be capable of forming dou		Make:			
				Model:			
				Gross wt.:			
				Country of origin:			
1.	Power Source	Electric motor					
2.	Matched Power	3 Hp/2.2 Kw					
3.	Rotating Speed Motor	2800 rpm					
4.	Voltage	Single Phase,50Hz, 220 V					
<b>3 ओसाउने पंखा (Winnowing Machine)</b>							
				Make:			
				Model:			
				Gross wt.:			
				Country of origin:			
<b>4 उकरा/क्याङ बनावटने सीशन (Bund/Ridge Maker Mini-tiller type)</b>							
A General Application		The Bund/Ridge Maker Mini-tiller type should be capable of forming bund for agricultural Crops/purpose.		Make:			
				Model:			
				Gross wt.:			
				Country of origin:			
1.	Engine Type	4 stroke Air/Water cooled diesel engine.					
2.	Engine Horsepower	Equivalent to 178F/7Hp or Above					
3.	Tilling Scope (mm)	240-650					
4.	Tilling Depth(mm)	100-240					
5.	Net Wt./Gross Wt.(Kg)	At least 90 /100					





भारत सरकार  
कृषि विभाग  
कृषि मंत्रालय  
नई दिल्ली

शुभ बहादुर के.सी.  
प्रमुख प्रशासकीय अधिकारी

5	जोती चक्का								
			Make:						
			Model:						
			Gross wt.:						
			Country of origin:						
6	हिलाउने चक्का								
			Make:						
			Model:						
			Gross wt.:						
			Country of origin:						
१	General Application	The cage wheel should be anti-skid for agricultural operations like puddling and tilling.							
२	Material Type	MS or High strength steel							
३	Power Tiller	600mm Diameter X 200mm width							
४	Mini Tiller	400mm Diameter X 150mm width							
५	Net Wt./Gross Wt.(Kg)	In between (10-25)							